Excell

Foodservice Equipment Dealer Network

NISSCO

Restaurant Dealer Group

&

CDN®

Measurement Tools

BACKGROUND

CDN is a global category leader in measurement tools, with the personal service and commitment of a business that has been family owned for 40 years.



certified WBENC WOMEN'S BUSINESS ENTERPRISE

BACKGROUND

Our measurement tools range from
the basic to the unique,
with a broad assortment of
thermometers, timers and scales.










certified WBENC WOMEN'S BUSINESS ENTERPRISE

BACKGROUND

We are a global category leader,
known for service, quality and innovation.



certified
WBENC
WOMEN'S BUSINESS ENTERPRISE

BACKGROUND

You will find our products in tens of thousands of foodservice, healthcare and institutional locations.



































PARTNER AFFILIATIONS

BioCote®

NSF®

5 YEAR LIMITED WARRANTY

FEDA
STRENGTH THROUGH ASSOCIATION

certified WBENC
WOMEN'S BUSINESS ENTERPRISE

NAFEM®
North American Association of Food Equipment Manufacturers

certified WBENC
WOMEN'S BUSINESS ENTERPRISE

CDN® Measurement Tools

WHY BUY FROM CDN?

certified WBENC WOMEN'S BUSINESS ENTERPRISE

WHY BUY FROM CDN?

- Certified WBENC member
- CDN manufactures in both China and Vietnam
- Environmentally friendly with an eye on sustainability
- Breadth of the line: solid commitment to categories
- 65% of product line is tooled by CDN
- Quality & Innovation: 304 stainless steel, NSF®, BioCote®
- Private label and OEM capabilities

certified WBENC WOMEN'S BUSINESS ENTERPRISE

WHY BUY FROM CDN?

- Competitive pricing
- Ship time 2 days
- Free freight on net orders over $500
- Marketing and sales support
- Packaging: attractive, organized, informative, responsible
- We break inner packs
- 0.5% return rate

certified WBENC WOMEN'S BUSINESS ENTERPRISE

CDN® Measurement Tools

THE CDN DIFFERENCE


certified WBENC WOMEN'S BUSINESS ENTERPRISE

THE CDN DIFFERENCE – THE BREADTH OF THE LINE

Basic Commodity Products



DT392



IRT220



FG80



SD2206

certified WBENC WOMEN'S BUSINESS ENTERPRISE

THE CDN DIFFERENCE – THE BREADTH OF THE LINE

Exclusive Products

* NEW * EXCLUSIVE



DTTW572 **



TCTW572 **



DW2 **



TM8 *



Master Scales *



DTW450L *



IRM200-GLOW *



DSP1 *



POT750X *

certified WBENC WOMEN'S BUSINESS ENTERPRISE

CDN®

Measurement Tools

THERMOMETERS

certified WBENC WOMEN'S BUSINESS ENTERPRISE

THERMOMETERS

- Digital/Thermistor
- Cooking/Bimetal
- Thermocouple
- Infrared
- Digital Probe
- Candy/Deep Fry
- Beverage & Frothing
- Alcohol Wipes
- Oven & Grill
- Refrigerator/Freezer/Air
- Dishwasher



DTT450

certified WBENC WOMEN'S BUSINESS ENTERPRISE

DIGITAL/THERMISTOR THERMOMETERS



certified
WBENC
WOMEN'S BUSINESS ENTERPRISE

DIGITAL/THERMISTOR THERMOMETERS

- Much less expensive than thermocouple thermometers
- 6 second response time
- Thin tip satisfies FDA Food Code 2017 requirements
- Simple, one-button field calibration

certified WBENC WOMEN'S BUSINESS ENTERPRISE

COOKING/BIMETAL THERMOMETERS



COOKING/BIMETAL THERMOMETERS

- Inexpensive and durable
- 15 to 20 second response time
- Field calibration (wrench on sheath)
- No batteries required

certified WBENC WOMEN'S BUSINESS ENTERPRISE

THERMOCOUPLE THERMOMETERS



certified WBENC WOMEN'S BUSINESS ENTERPRISE

THERMOCOUPLE THERMOMETERS

- High accuracy and a high temperature range
- Fastest on the market: 2 to 3 second response time
- Thin tip satisfies FDA Food Code 2017 requirements
- Field calibration

certified
WBENC
WOMEN'S BUSINESS ENTERPRISE

INFRARED THERMOMETERS



certified
WBENC
WOMEN'S BUSINESS ENTERPRISE

INFRARED THERMOMETERS

- Fast and accurate surface temperature measurement
- Non-contact = no cross-contamination
- 1 second response time
- Helpful when not possible or practical to physically contact the object being measured (very hot, small or distant)
- Large **distance:spot ratio** is better (IN1022: 12:1)

certified WBENC WOMEN'S BUSINESS ENTERPRISE

DIGITAL PROBE THERMOMETERS



certified WBENC WOMEN'S BUSINESS ENTERPRISE

DIGITAL PROBE THERMOMETERS

- Monitor real-time internal temperatures without opening doors
- Alerts when the food reaches the set temperature (USDA)
- Mounting: exclusive adjustable stainless steel clip keeps hands away from dangerous temperatures — cheese, candy, or deep-fryer oil temperatures
- High (heating) and low (cooling) limits, ambient (oven, grill, smoker)

certified WBENC WOMEN'S BUSINESS ENTERPRISE

CANDY/DEEP FRY THERMOMETERS



certified WBENC WOMEN'S BUSINESS ENTERPRISE

CANDY/DEEP FRY THERMOMETERS

- Longer stems
- Higher temperatures than general cooking thermometers
- Zones or alerts when reaches the desired temperature
- Mounting: clips keep hands away from dangerous temperatures

certified WBENC WOMEN'S BUSINESS ENTERPRISE

BEVERAGE & FROTHING THERMOMETERS



certified
WBENC
WOMEN'S BUSINESS ENTERPRISE

BEVERAGE & FROTHING THERMOMETERS

- Stem lengths for large or small frothing pitchers
- Frothing zone
- Mounting: exclusive adjustable stainless steel clip keeps hands away from dangerous temperatures

certified WBENC WOMEN'S BUSINESS ENTERPRISE

ALCOHOL WIPES



certified WBENC WOMEN'S BUSINESS ENTERPRISE

ALCOHOL WIPES

- FDA-listed, EPA & NQA certified
- Disinfect and sanitize hard, non-porous surfaces and help prevent cross-contamination (probes to surfaces)
- 70% Isopropyl Alcohol
- Expiration date on package

certified WBENC WOMEN'S BUSINESS ENTERPRISE

OVEN & GRILL THERMOMETERS



certified WBENC WOMEN'S BUSINESS ENTERPRISE

OVEN & GRILL THERMOMETERS

- Economical and easy to understand
- Durable laboratory glass lenses
- Zones for desired temperatures
- Satisfies FDA Food Code 2017 requirements
- Mounting: stand, hang

certified WBENC WOMEN'S BUSINESS ENTERPRISE

REFRIGERATOR/FREEZER/AIR THERMOMETERS



certified WBENC WOMEN'S BUSINESS ENTERPRISE

REFRIGERATOR/FREEZER/AIR THERMOMETERS

- Economical and easy to understand
- Satisfies FDA Food Code 2017 requirements
- Zones or alerts indicate safe temperatures
- Mounting: stand, hang, suction cup

certified
WBENC
WOMEN'S BUSINESS ENTERPRISE

DISHWASHER THERMOMETERS



certified WBENC WOMEN'S BUSINESS ENTERPRISE

DISHWASHER THERMOMETERS


- Waterproof (IP66 or better)
- Max/min
- Satisfies FDA Food Code 2017 requirements

certified WBENC WOMEN'S BUSINESS ENTERPRISE

DISHWASHER THERMOMETERS

Waterproof Rating - IP Code

Published by the IEC, The *International Protection Marking* code (or *IP Code*) is a standard for rating enclosures based on their ability to protect their electronic components from intrusion by accidental contact, dust or water. The IP Code consists of the letters **IP** followed by two digits.



First Digit: Solids

LEVEL	EFFECTIVE AGAINST
X	No data available
0	No protection
1	> 50 mm
2	> 12.5 mm
3	> 2.5 mm
4	> 1 mm
5	Dust protected
6	Dust tight

Second Digit: Liquids

LEVEL	EFFECTIVE AGAINST
X	No data available
0	No protection
1	Dripping water
2	Dripping water up to 15°
3	Spraying water up to 60°
4	Splashing water any direction
5	Water jets
6	Powerful water jets
6K	Powerful water jets – pressure
7	Immersion, 15 cm ~ 1 m (30 min)
8	Immersion, 1 m ~ 3 m
9K	High pressure & temp. water jets

certified WBENC WOMEN'S BUSINESS ENTERPRISE

CDN® Measurement Tools

TIMERS

certified WBENC WOMEN'S BUSINESS ENTERPRISE

TIMERS

- Hour/Minute
- Hour/Minute/Second
- Minute/Second
- Mechanical



PT2

certified WBENC WOMEN'S BUSINESS ENTERPRISE

HOUR/MINUTE TIMERS



certified WBENC WOMEN'S BUSINESS ENTERPRISE

HOUR/MINUTE TIMERS

- Longer tasks
- Counts down
- Mounting: varies

certified
WBENC
WOMEN'S BUSINESS ENTERPRISE

HOUR/MINUTE/SECOND TIMERS



certified
WBENC
WOMEN'S BUSINESS ENTERPRISE

HOUR/MINUTE/SECOND TIMERS

- Flexible tasks
- Counts up and down
- Some have clocks
- Mounting: pocket clip, magnet, stand

certified
WBENC
WOMEN'S BUSINESS ENTERPRISE

MINUTE/SECOND TIMERS



certified WBENC WOMEN'S BUSINESS ENTERPRISE

MINUTE/SECOND TIMERS

- Shorter tasks
- Counts up and down (except TM7-W)
- Mounting: pocket clip, magnet, stand

certified
WBENC
WOMEN'S BUSINESS ENTERPRISE

MECHANICAL TIMERS



certified WBENC WOMEN'S BUSINESS ENTERPRISE

MECHANICAL TIMERS

- Easy-to-turn knobs
- Loud, long 3 second alarms
- Sit on countertop

certified
WBENC
WOMEN'S BUSINESS ENTERPRISE

CDN® Measurement Tools

SCALES

certified WBENC WOMEN'S BUSINESS ENTERPRISE

SCALES

- Economy Scales
- Glass Scales
- Master Scales
- Submersible Scales
- Precision Scales
- Receiving Scales



SD1110X

certified WBENC WOMEN'S BUSINESS ENTERPRISE

SCALES

- Fast <1 second response times
- High accuracy (resolution)
- Multiple units of measure & instant one-button unit conversion
- Tare funtion: zeros out the scale to account for the weight of a container or additional ingredients
- Batteries and AC adapters included

certified WBENC WOMEN'S BUSINESS ENTERPRISE

ECONOMY SCALES



certified
WBENC
WOMEN'S BUSINESS ENTERPRISE

ECONOMY SCALES

- 6, 11, 22 lb capacities
- Inexpensive solutions
- Basic features

certified WBENC WOMEN'S BUSINESS ENTERPRISE

GLASS SCALES



certified
WBENC
WOMEN'S BUSINESS ENTERPRISE

GLASS SCALES

- CDN exclusive
- 15 lb capacity
- Simple and stylish
- NSF® Certified
- Tempered glass tops
- Easy to use and clean
- Resolution: 0.1 oz, 1 g

certified WBENC WOMEN'S BUSINESS ENTERPRISE

MASTER SCALES



certified
WBENC
WOMEN'S BUSINESS ENTERPRISE

MASTER SCALES

- CDN exclusive
- 2, 5, 11, 22, 33, 55 lb capacities
- Small, medium and large profiles
- NSF® Certified
- Removable stainless steel platform
- ABS plastic chasis with BioCote® antimicrobial
- Resolution: 0.01 to 0.2 oz, 0.1 to 5 g

certified WBENC WOMEN'S BUSINESS ENTERPRISE

SUBMERSIBLE SCALES



certified
WBENC
WOMEN'S BUSINESS ENTERPRISE

SUBMERSIBLE SCALES

- CDN exclusive
- 11 and 22 lb capacities
- Submersible (IP67)
- NSF® Certified
- Programmable
- Removable stainless steel platform and chassis
- Resolution: 0 lb:0.1 oz, 0 lb:1/8 oz, 0.005 lb, 0.05 oz, 1/8 oz, 1 g

certified WBENC WOMEN'S BUSINESS ENTERPRISE

PRECISION SCALES



certified
WBENC
WOMEN'S BUSINESS ENTERPRISE

PRECISION SCALES

- Weighs small quantities of critical ingredients or precious commodities that need to be measured with unusual exactitude (i.e., saffron)
- Smaller capacities (2.2 lb)
- Resolution: 0.01 oz, 0.1 g

certified WBENC WOMEN'S BUSINESS ENTERPRISE

RECEIVING SCALES



certified WBENC WOMEN'S BUSINESS ENTERPRISE

RECEIVING SCALES

- Designed for heavy-duty weighing
- Usually over 100 lb capacities
- Resolution is larger than portion control scales

certified
WBENC
WOMEN'S BUSINESS ENTERPRISE

CDN® Measurement Tools

NEW PRODUCTS

certified WBENC WOMEN'S BUSINESS ENTERPRISE

NEW PRODUCTS

LOLLIPOP THERMOMETER

- -40 to +572°F/-40 to +300°C
- 4-second response
- Waterproof (IPX7)
- One-button field calibration
- Max/min mode
- Hold mode
- 1.5 mm thin tip
- 4.3"/11.0 cm stem



DTL572

NSF BioCote

certified WBENC WOMEN'S BUSINESS ENTERPRISE

NEW PRODUCTS

WATERPROOF FOLDING THERMOCOUPLE THERMOMETER

- -58 to +572°F/-50 to +300°C
- 1.5 mm thin tip
- 4.33"/11 cm probe
- Waterproof (IPX7)
- 2-3 second response
- 360° rotating display
- Field calibration



TCTW572

NSF BioCote

certified WBENC WOMEN'S BUSINESS ENTERPRISE

NEW PRODUCTS

DIGITAL HIGH PRECISION SCALE, 2 lb

- 2 lb/1 kg by lb:oz/kg.g
- Precise to 0.01 oz/0.1 g
- Small profile
- Tare, hold & field calibration modes
- Removable stainless steel platform



SD0204

NSF BioCote

certified WBENC WOMEN'S BUSINESS ENTERPRISE

NEW PRODUCTS

DIGITAL HIGH PRECISION SCALE, 2 LB

- 2.2 lb/1000 g by oz/g
- Precise to 0.01 oz/0.1 g
- Tare function
- Removable stainless steel platform
- Batteries included



SD0202

NSF BioCote

certified WBENC WOMEN'S BUSINESS ENTERPRISE

NEW PRODUCTS

COFFEE SCALE & TIMER, 6.5 lb

- 3 kg/6.5 lb/3L by g/oz/ml;
  100 minutes by min/sec
- Precise to 0.1 g/0.005 oz/0.1 ml
- Timer counts up
- Tare function
- Platform heat resistant up to 275°F
- Rechargeable battery and USB cable



SDC0602

certified
WBENC
WOMEN'S BUSINESS ENTERPRISE


CDN® Measurement Tools

SALES SUPPORT

certified WBENC WOMEN'S BUSINESS ENTERPRISE

SALES SUPPORT

Excell & Nissco Specials, Catalog & Flyers







Special

Catalog 2024-25

Q4 Flyer


certified WBENC WOMEN'S BUSINESS ENTERPRISE

SALES SUPPORT

Sales Tools



Catalog



Price Lists




Brochure

certified WBENC WOMEN'S BUSINESS ENTERPRISE

SALES SUPPORT

Marketing Materials



CDN® Measurement Tools — certified WBENC

FOODSERVICE GOOD, BETTER, BEST

2022


MODEL	DESCRIPTION	UPC	CASE PACK	INNER PACK	LIST PRICE
GOOD					
DT392 *	Digital Thermometer	0 18436 00609 1	144	6	15.35
DT450X **	Digital Pocket Thermometer	ALL COLORS	144	6	19.45
IRT220 *	Cooking Thermometer	0 18436 00202 4	144	6	5.55
IRM200 *	Ovenproof Meat Thermometer	0 18436 00207 9	72	6	12.35
IN482	Infrared Thermometer, Timer & Clock	0 18436 00573 5	100	N/A	54.25
DTP392	Probe Thermometer	0 18436 00619 0	96	12	33.95
TCF400	Candy & Deep Fry Thermometer	0 18436 00501 8	72	6	4.60
DOT2 *	Oven Thermometer	0 18436 00251 2	144	6	6.15
FG80 *	Refrigerator/Freezer Thermometer	0 18436 00257 4	216	12	5.30
RFT1 *	Refrigerator/Freezer Thermometer	0 18436 00255 0	144	6	6.15
TM2	Digital Timer	0 18436 00350 2	96	6	14.90
MTM3	Mechanical Timer	0 18436 00409 7	96	12	10.55
SD0602 *	Digital Portion Control Scale, 6 lb	ALL COLORS	10	N/A	20.60
SD1104	Digital Scale, 11 lb	ALL COLORS	10	N/A	48.10
SD1502 **	NSF® Digital Glass Scale, 15 lb	ALL COLORS	20	N/A	48.10
SD2206	Digital Portion Control Scale, 22 lb	0 18436 00834 7	12	N/A	56.20
BETTER					
DTT450 **	Thin Tip Pocket Thermometer	ALL COLORS	144	6	26.35
DTQ450X **	Thin Tip Thermometer	0 18436 00458 5	144	6	27.15
Q2-450X **	Heavy Duty Thin Tip Thermometer	0 18436 00459 2	144	6	27.15
IRM190 *	Ovenproof Meat Thermometer	0 18436 00203 1	144	6	8.15
DTF572 **	Rotating Display Thermocouple Thermometer	0 18436 00493 6	24	6	74.35
IN1022	Infrared Gun	0 18436 00571 1	30	N/A	103.80
DTTC	Combo Probe Thermometer, Timer & Clock	ALL COLORS	48	6	37.80
TCG400	Candy & Deep Fry Ruler Thermometer	0 18436 00502 5	72	6	12.40
IRXL400 *	Candy & Deep Fry Thermometer	0 18436 00204 8	144	6	8.20
TM15 *	Extra Big Digit Timer	0 18436 00441 7	96	6	19.45
MT1	Heavy Duty Mechanical Timer	0 18436 00407 3	96	12	13.90
SD0502 **	Digital Portion Control Scale, 5 lb (Small Profile)	0 18436 00818 7	4	N/A	74.45
SD1114 **	Digital Portion Control Scale, 11 lb (Small Profile)	0 18436 00820 0	4	N/A	76.75
SD1112 **	Digital Portion Control Scale, 11 lb (Medium Profile)	0 18436 00817 0	4	N/A	96.20
SD2202 **	Digital Portion Control Scale, 22 lb (Large Profile)	0 18436 00816 3	4	N/A	133.35
SD3302 **	Digital Portion Control Scale, 33 lb (Large Profile)	0 18436 00815 6	4	N/A	136.25
SD5502 **	Digital Portion Control Scale, 55 lb (Large Profile)	0 18436 00827 9	4	N/A	149.05
BEST					
DTTW572 ***	Waterproof Thin Tip Thermometer	0 18436 00507 0	48	6	36.65
DTW450 **	Dishwasher Thin Tip Thermometer	0 18436 00462 2	48	6	37.40
DTW450L **	Waterproof Thermometer – Long Stem	0 18436 00469 1	48	6	39.50
IRM200-GLOW **	Ovenproof Meat Thermometer – Glow	0 18436 00213 0	72	6	13.05
TCTW572 ***	Waterproof Folding Thermocouple Thermometer	0 18436 00508 7	48	6	89.00
INTP626X *	Infrared/Thermocouple Probe Thermometer	0 18436 00576 6	30	N/A	155.75
INTP662 *	Infrared Gun/Thermocouple Thermometer	0 18436 00572 8	30	N/A	155.75
DSP1 *	Dual-Sensing Probe Thermometer/Timer	ALL COLORS	48	6	53.30
DTC450 *	Digital Candy Thermometer	0 18436 00506 3	48	12	33.10
PW90	Thermometer Probe Wipes	0 18436 00918 4	80	20	7.45
PW200	Thermometer Probe Wipes - Packets	0 18436 00906 1	50	5	11.20
POT750X *	High Heat Oven Thermometer	0 18436 00240 6	144	6	7.40
TM8 *	Multi-Task Timer & Clock	0 18436 00403 5	96	6	21.25
PT2 *	4-Event Timer & Clock	0 18436 00400 4	24	6	28.65
TMW1 *	Waterproof Timer	0 18436 00301 4	96	6	28.40
SD1110X **	Submersible Scale, 11 lb	0 18436 00832 3	4	N/A	211.90
SD2210X **	Submersible Scale, 22 lb	0 18436 00833 0	4	N/A	230.25

* NEW * NSF * Exclusive to CDN

Tel 800 338-5594 **Fax** 800 879-2364 **Web** CDNmeasurement.com

CD2921112G - 12/21

Good/Better/Best



CDN® Measurement Tools — certified WBENC

FOODSERVICE TOP SELLERS

2022


MODEL	DESCRIPTION	UPC	CASE PACK	INNER PACK	LIST PRICE
DIGITAL THERMOMETERS					
DT392 *	Digital Thermometer	0 18436 00609 1	144	6	15.35
DT450X **	Digital Pocket Thermometer	ALL COLORS	144	6	19.45
DTT450 **	Thin Tip Pocket Thermometer	ALL COLORS	144	6	26.35
DTTW572 ***	Waterproof Thin Tip Thermometer	0 18436 00507 0	48	6	36.65
COOKING THERMOMETERS					
IRT220 *	Cooking Thermometer	0 18436 00202 4	144	6	5.55
IRM200-GLOW **	Ovenproof Meat Thermometer – Glow	0 18436 00213 0	72	6	13.05
IRL500	Long Stem Fry Thermometer – 12"	0 18436 00210 9	36	6	15.35
THERMOCOUPLE THERMOMETERS					
TCT572 **	Folding Thermocouple Thermometer	ALL COLORS	48	12	92.40
INFRARED THERMOMETERS					
INTP662 *	Infrared Gun/Thermocouple Thermometer	0 18436 00572 8	30	N/A	155.75
DIGITAL PROBE THERMOMETERS					
DTP392 *	Probe Thermometer	0 18436 00619 0	96	12	33.95
DTTC	Combo Probe Thermometer, Timer & Clock	ALL COLORS	48	6	37.80
DSP1	Dual-Sensing Probe Thermometer/Timer	ALL COLORS	48	6	53.30
CANDY & DEEP FRY THERMOMETERS					
TCG400	Candy & Deep Fry Ruler Thermometer	0 18436 00502 5	72	6	12.40
BEVERAGE & FROTHING THERMOMETERS					
IRB220-F **	Beverage & Frothing Thermometer – 5" Stem	0 18436 00230 7	144	6	9.15
SANITIZING & WIPES					
PW200	Thermometer Probe Wipes - Packets	0 18436 00906 1	50	5	11.20
OVEN & GRILL THERMOMETERS					
DOT2 *	Oven Thermometer	0 18436 00251 2	144	6	6.15
POT750X *	High Heat Oven Thermometer	0 18436 00240 6	144	6	7.40
GTS800X *	Grill Surface Thermometer	0 18436 00486 8	144	6	10.00
REFRIGERATOR/FREEZER/AIR THERMOMETERS					
EFG120 **	Refrigerator/Freezer Thermometer	0 18436 00259 8	144	12	2.65
FG80 *	Refrigerator/Freezer Thermometer	0 18436 00257 4	216	12	5.30
RFT1 *	Refrigerator/Freezer Thermometer	0 18436 00255 0	144	6	6.15
HOUR/MINUTE TIMERS					
TM2	Digital Timer	0 18436 00350 2	96	6	14.90
HOUR/MINUTE/SECOND TIMERS					
TM8 *	Multi-Task Timer & Clock	0 18436 00403 5	96	6	21.25
TM30 *	Direct Entry 2-Alarm Timer	0 18436 00404 2	96	6	25.20
MINUTE/SECOND TIMERS					
TM15 *	Extra Big Digit Timer	0 18436 00441 7	96	6	19.45
TMW1 *	Waterproof Timer	0 18436 00301 4	96	6	28.40
MECHANICAL TIMERS					
MT1	Heavy Duty Mechanical Timer	0 18436 00407 3	96	12	13.90
MASTER SCALES					
SD0502 **	Digital Portion Control Scale, 5 lb (Small Profile)	0 18436 00818 7	4	N/A	74.45
SD1112 **	Digital Portion Control Scale, 11 lb (Medium Profile)	0 18436 00817 0	4	N/A	96.20
SUBMERSIBLE SCALES					
SD1110X **	Submersible Scale, 11 lb	0 18436 00832 3	4	N/A	211.90
SD2210X **	Submersible Scale, 22 lb	0 18436 00833 0	4	N/A	230.25
GLASS SCALES					
SD1502 **	NSF® Digital Glass Scale, 15 lb	ALL COLORS	20	N/A	48.10
PRECISION SCALES					
SD0202	Digital Precision Scale, 2.2 lb	0 18436 00821 7	12	N/A	36.10

* NEW * NSF * EXCLUSIVE TO CDN

Tel 800 338-5594 **Fax** 800 879-2364 **Web** CDNmeasurement.com

CD2921115N - 12/21

Top Sellers



CDN® Measurement Tools — certified WBENC

FOODSERVICE RECOMMENDED STOCKING ORDER

2022

MODEL	DESCRIPTION	UPC	CASE PACK	INNER PACK	LIST PRICE
DIGITAL THERMOMETERS					
DT392 *	Digital Thermometer	0 18436 00609 1	144	6	15.35
DTT450 **	Thin Tip Pocket Thermometer	ALL COLORS	144	6	26.35
Q2-450X **	Heavy Duty Thin Tip Thermometer	0 18436 00459 2	144	6	27.15
DTTW572 **	Waterproof Thin Tip Thermometer	0 18436 00507 0	48	6	36.65
COOKING THERMOMETERS					
IRT220 *	Cooking Thermometer	0 18436 00202 4	144	6	5.55
IRM190 *	Ovenproof Meat Thermometer	0 18436 00203 1	144	6	8.15
IRM200-GLOW **	Ovenproof Meat Thermometer – Glow	0 18436 00213 0	72	6	13.05
THERMOCOUPLE THERMOMETERS					
TCTW572 ***	Waterproof Folding Thermocouple Thermometer	0 18436 00508 7	48	12	89.00
INFRARED THERMOMETERS					
IN1022	Infrared Gun	0 18436 00571 1	30	N/A	103.80
INTP662 **	Infrared Gun/Thermocouple Thermometer	0 18436 00572 8	30	N/A	155.75
DIGITAL PROBE THERMOMETERS					
DTTC	Combo Probe Thermometer, Timer & Clock	ALL COLORS	48	6	37.80
DSP1	Dual-Sensing Probe Thermometer/Timer	ALL COLORS	48	6	53.30
CANDY & DEEP FRY THERMOMETERS					
TCG400	Candy & Deep Fry Ruler Thermometer	0 18436 00502 5	72	6	12.40
IRL500	Long Stem Fry Thermometer – 12"	0 18436 00210 9	72	6	15.35
IRXL400 *	Candy & Deep Fry Thermometer	0 18436 00204 8	144	6	8.20
DTW450L **	Waterproof Thermometer – Long Stem	0 18436 00469 1	48	6	39.50
BEVERAGE & FROTHING THERMOMETERS					
IRB220-F **	Beverage & Frothing Thermometer – 5" Stem	0 18436 00230 7	144	6	9.15
SANITIZING AND PROBE WIPES					
PW90	Thermometer Probe Wipes	0 18436 00918 4	80	N/A	7.45
PW200	Thermometer Probe Wipes - Packets	0 18436 00906 1	50	N/A	11.20
OVEN & GRILL THERMOMETERS					
DOT2 *	Oven Thermometer	0 18436 00251 2	144	6	6.15
POT750X *	High Heat Oven Thermometer	0 18436 00240 6	144	6	7.40
GTS800X *	Grill Surface Thermometer	0 18436 00486 8	144	6	10.00
REFRIGERATOR/FREEZER/AIR THERMOMETERS					
EFG120 **	Refrigerator/Freezer Thermometer	0 18436 00259 8	144	12	2.65
FG80 *	Refrigerator/Freezer Thermometer	0 18436 00257 4	216	12	5.30
RFT1 *	Refrigerator/Freezer Thermometer	0 18436 00255 0	144	6	6.15
DISHWASHER THERMOMETERS					
DW2	Dishwasher Thermometer	0 18436 00498 1	24	6	70.20
HOUR/MINUTE TIMERS					
TM2	Digital Timer	0 18436 00350 2	96	6	14.90
HOUR/MINUTE/SECONDTIMERS					
TM8 *	Multi-Task Timer & Clock	0 18436 00403 5	96	6	21.25
TM30 *	Direct Entry 2-Alarm Timer	0 18436 00404 2	96	6	25.20

* NEW * NSF * EXCLUSIVE TO CDN


Tel 800 338-5594 **Fax** 800 879-2364 **Web** CDNmeasurement.com


Stocking Order

certified WBENC WOMEN'S BUSINESS ENTERPRISE

SALES SUPPORT

Merchandising & Displays








certified WBENC WOMEN'S BUSINESS ENTERPRISE

SALES SUPPORT

Planogram



CDN®
Measurement Tools

PLANOGRAM

OUR BEST SELLING PRODUCTS TOGETHER IN ONE KIT

Products
Our most popular products conveniently merchandised to simplify sales.

Triangle Dolly Display (D-TRI5)
Three 2' x 5' grids on casters. Includes grids, dolly, joiner clips, hooks & signs.

Free Freight

PLANOGRAM

Triangle Dolly

Panel A

DTT450-B x 4 · DTT450-R x 4 · DTT450-G x 4 · DTT450-B x 4 · DTTWS72 x 4 · DTTWS72 x 4 · DTTW72 x 4 · DT700 x 3 · DTW450L x 3 · DTW450L x 3 · TCTW572 x 2 · TCTW572 x 2 · DT450SD x 4 · DT450S x 4 · TCTW572 x 2 · TCTWS72 x 2

Panel B

IRT220 x 4 · IRT550 x 6 · IR600-3.0W x 1 · IR600-5.0W x 1 · IRT600 x 2 · IRTP600 x 2 · IRT9602 x 2 · DTP2 0 x 2 · DTTC-W x 2 · DTTC-S x 2 · DSP1-W x 2 · DSP1-S x 2 · IRB220-2 x 2 · IRKL400 x 3 · TCGA450 x 3 · IRL500 x 3

Panel C

DOT2 x 3 · POTT500 x 2 · STS5000 x 3 · TMX x 3 · DWC x 2 · TT300 x 3 · RFP1 x 3 · TMX x 3 · EFS550 x 2 · TM2 x 3 · PTT x 3 · DWC x 2 · EFC550 x 2 · TM30 x 3 · TM51 x 3 · TM10 x 2 · TM30 x 3 · MT1 x 2 · MTH x 2 · SD1500 x 2 · SD1502-S x 2 · SD1502-BK x 2

Standalone Products

PW200 x 5 · SD0502 x 3 · SD1114 x 3 · SD1112 x 3 · SD2202 x 3 · SD1150 x 3

Tel 800 338-5594 **Fax** 800 879-2364 **Web** CDNmeasurement.com

certified WBENC WOMEN'S BUSINESS ENTERPRISE

SALES SUPPORT

Specialty Flyers



Pizzeria Restaurants Grocery Stores Healthcare Schools

certified WBENC WOMEN'S BUSINESS ENTERPRISE

SALES SUPPORT

Specialty Flyers











Scales GBB Waterproof Food Safety Food Code Accuracy

certified WBENC WOMEN'S BUSINESS ENTERPRISE

SALES SUPPORT

The Right Tools for Every Application

CDN®
Measurement Tools

2022

The Right Tools for Every Application.

COOKING


IRT220 ** – COOKING THERMOMETER


DT392 ** – DIGITAL THERMOMETER


DTT450 *** – THIN TIP POCKET THERMOMETER
- Yellow DTT450
- Red DTT450-R
- Green DTT450-G
- Blue DTT450-B


Q2-450X *** – HEAVY DUTY THIN TIP THERMOMETER


DTTW572 **** – WATERPROOF THIN TIP THERMOMETER


TM15 * – EXTRA BIG DIGIT TIMER


SD0502 **** – DIGITAL PORTION CONTROL SCALE, 5 LB, SMALL PROFILE


SD1114 **** – DIGITAL PORTION CONTROL SCALE, 11 LB, SMALL PROFILE

THICK CUTS OF MEAT


IRT220 ** – COOKING THERMOMETER


IRM190 ** – OVENPROOF MEAT THERMOMETER


IRM200-GLOW ** – OVENPROOF MEAT THERMOMETER – GLOW


DTTC – COMBO PROBE THERMOMETER, TIMER & CLOCK


SD2202 **** – DIGITAL PORTION CONTROL SCALE, 22 LB, LARGE PROFILE


SD5502 *** – DIGITAL PORTION CONTROL SCALE, 55 LB, LARGE PROFILE


SD1110X *** – SUBMERSIBLE SCALE, 11 LB

THIN CUTS OF MEAT


DTT450 *** – THIN TIP POCKET THERMOMETER
- Yellow DTT450
- Red DTT450-R
- Green DTT450-G
- Blue DTT450-B


DT0450X *** – THIN TIP THERMOMETER


DTTW572 **** – WATERPROOF THIN TIP THERMOMETER


TCTW572 **** – WATERPROOF FOLDING THERMOCOUPLE THERMOMETER


INTP662 *** – INFRARED GUN/ THERMOCOUPLE THERMOMETER


SD1114 *** – DIGITAL PORTION CONTROL SCALE, 11 LB, SMALL PROFILE


SD1110X *** – SUBMERSIBLE SCALE, 11 LB

All products have a five-year limited warranty unless otherwise noted. **5-Year Limited Warranty:** Any instrument that proves to be defective in material or workmanship (excluding batteries) within five years of original purchase will be repaired or replaced without charge upon receipt of the unit prepaid at: CDN, PO Box 10947, Portland, OR 97296-0947. This warranty does not cover damage in shipment or failure caused by failure to adhere to the accompanying instructions, inadequate maintenance, normal wear and tear, tampering, accident, misuse, unauthorized modification, obvious carelessness or abuse. CDN shall not be liable for any consequential or incidental damages whatsoever.

certified WBENC

Tel 800 338-5594 **Fax** 800 879-2364 **Web** CDNmeasurement.com

* NEW * NSF * BioCote * EXCLUSIVE TO CDN * 1-Year Limited Warranty

CANDY & DEEP FRY


TCG400 – CANDY & DEEP FRY RULER THERMOMETER


IRXL400 ** – CANDY & DEEP FRY THERMOMETER


IRL500 – LONG STEM FRY THERMOMETER – 12"


DTC450 * – DIGITAL CANDY THERMOMETER


DTW450L *** – WATERPROOF THERMOMETER – LONG STEM


TM8 * – MULTI-TASK TIMER & CLOCK


DTTC – COMBO PROBE THERMOMETER, TIMER & CLOCK


SD0502 **** – DIGITAL PORTION CONTROL SCALE, 5 LB, SMALL PROFILE


SD1112 **** – DIGITAL PORTION CONTROL SCALE, 11 LB, MEDIUM PROFILE


SD2202 **** – DIGITAL PORTION CONTROL SCALE, 22 LB, LARGE PROFILE

OVEN


DOT2 * – OVEN THERMOMETER


POT750X * – HIGH HEAT OVEN THERMOMETER


TM15 * – EXTRA BIG DIGIT TIMER


IN1022 * – INFRARED GUN


INTP662 *** – INFRARED GUN/ THERMOCOUPLE THERMOMETER


DSP1 – DUAL-SENSING PROBE THERMOMETER/TIMER

GRILL/GRIDDLE


GTS800X * – GRILL SURFACE THERMOMETER


IN1022 * – INFRARED GUN

INTP662 *** – INFRARED GUN/ THERMOCOUPLE THERMOMETER

TM30 * – DIRECT ENTRY 2-ALARM TIMER

SD2202 **** – DIGITAL PORTION CONTROL SCALE, 22 LB, LARGE PROFILE

SD1110X *** – SUBMERSIBLE SCALE, 11 LB

HOT HOLDING

H0T1 * – HOT HOLDING THERMOMETER

COLD STORAGE

EFG120 * – REFRIGERATOR/FREEZER THERMOMETER

FG80 * – REFRIGERATOR/FREEZER THERMOMETER

RFT1 * – REFRIGERATOR/FREEZER THERMOMETER

DRY STORAGE

RFT1 * – REFRIGERATOR/FREEZER THERMOMETER

AT120 – AIR THERMOMETERS - DOZEN

SD5502 *** – DIGITAL PORTION CONTROL SCALE, 55 LB, LARGE PROFILE

* NEW * NSF * BioCote * EXCLUSIVE TO CDN * 1-Year Limited Warranty

RECEIVING

IN1022 * – INFRARED GUN

INTP662 *** – INFRARED GUN/ THERMOCOUPLE THERMOMETER

DTW450L *** – WATERPROOF THERMOMETER – LONG STEM

SDR220 * – DIGITAL SHIPPING & RECEIVING SCALE, 220 LB

SM13201 * – MECHANICAL SCALE, 132 LB

SALAD BAR

DTT450 *** – THIN TIP POCKET THERMOMETER
- Yellow DTT450
- Red DTT450-R
- Green DTT450-G
- Blue DTT450-B

DTTW572 **** – WATERPROOF THIN TIP THERMOMETER

TCTW572 **** – WATERPROOF FOLDING THERMOCOUPLE THERMOMETER

INTP626X *** – INFRARED/ THERMOCOUPLE PROBE THERMOMETER

INTP662 *** – INFRARED GUN/ THERMOCOUPLE THERMOMETER

TM8 * – MULTI-TASK TIMER & CLOCK

SD1114 **** – DIGITAL PORTION CONTROL SCALE, 11 LB, SMALL PROFILE

SALAD BAR (continued)

SD1112 **** – DIGITAL PORTION CONTROL SCALE, 11 LB, MEDIUM PROFILE

SD3302 *** – DIGITAL PORTION CONTROL SCALE, 33 LB, LARGE PROFILE

BEVERAGE

IRT220-F *** – BEVERAGE & FROTHING THERMOMETER

IRB220-F *** – BEVERAGE & FROTHING THERMOMETER – 5" STEM

IRTL220 *** – BEVERAGE & FROTHING THERMOMETER – 7" STEM

TM8 * – MULTI-TASK TIMER & CLOCK

TM15 * – EXTRA BIG DIGIT TIMER

TMW1 * – WATERPROOF TIMER

SD0502 **** – DIGITAL PORTION CONTROL SCALE, 5 LB, SMALL PROFILE

SD2202 **** – DIGITAL PORTION CONTROL SCALE, 22 LB, LARGE PROFILE

MEAL DELIVERY CARTS

DTTW572 **** – WATERPROOF THIN TIP THERMOMETER

TCTW572 **** – WATERPROOF FOLDING THERMOCOUPLE THERMOMETER

IN1022 * – INFRARED GUN

INTP662 *** – INFRARED GUN/ THERMOCOUPLE THERMOMETER

SD1502 *** – NSF® DIGITAL GLASS SCALE, 15 LB
- Silver SD1502-S
- Black SD1502-BK

SD0502 **** – DIGITAL PORTION CONTROL SCALE, 5 LB, SMALL PROFILE

SD1114 **** – DIGITAL PORTION CONTROL SCALE, 11 LB, SMALL PROFILE

DISHWASHER

DTW450 *** – DISHWASHER THIN TIP THERMOMETER

DW2 *** – DISHWASHER THERMOMETER

A GLOBAL CATEGORY LEADER

CDN is a global category leader in kitchen measurement tools, known for quality and innovation for over 35 years.

Our measurement tools range from the basic to the unique. CDN has the right instrument to help you streamline your operation — from receiving product to cooking, storing, serving and cleaning.

Foodservice professionals rely on CDN products, which are used in over 20,000 foodservice locations worldwide, including large international coffee and restaurant chains.

certified WBENC WOMEN'S BUSINESS ENTERPRISE

CDN was named "Best Overall Company" in its category by the prestigious Stevie Awards for Women in Business. We are also a certified member of the Women's Business Enterprise National Council (WBENC), providing additional benefits to our customers.

SOCIAL RESPONSIBILITY

CDN strives to maintain a balance between the economy and the ecosystem by choosing innovative technologies and programs that reflect our sensitivity towards social, cultural, economic, and environmental issues.

SUPERIOR QUALITY

All stainless steel is not the same. CDN thermometers are made of a premium grade stainless steel, which is superior to the stainless used in many other thermometers. CDN bimetal thermometer stems are welded to a calibration nut. Less expensive thermometers are only pressed together. The dimple in the stem of our bimetal thermometers indicates the place where the temperature coil is welded to a special bushing and where you will get the most accurate reading. This extra measure provides an additional degree of stability and accuracy, and is unique to CDN. National Sanitation Foundation is an approval agency that certifies that thermometers bearing the NSF® mark are manufactured to high commercial standards. Because of higher listing costs, only a select number of our thermometers carry the NSF® mark. However, all our dial thermometers are manufactured to NSF® standards in an NSF® Certified facility. We use an incoming inspection program based on military QC standard MIL-D-18856.

BioCote®

BioCote® Antimicrobial properties are built-in to inhibit the growth of bacteria that may affect this product. According to EPA guidelines we cannot claim that the antimicrobial properties in this product protect users or others against bacteria, viruses, germs, or other disease organisms. This product does not protect users or others against food-borne bacteria. Always clean and wash this product thoroughly before and after each use.

Batteries included with all electronic products.

Pro Accurate NSF BioCote WBENC NAFEM IBC

5-YEAR LIMITED WARRANTY


All products have a five-year limited warranty unless otherwise noted. **5-Year Limited Warranty:** Any instrument that proves to be defective in material or workmanship (excluding batteries) within five years of original purchase will be repaired or replaced without charge upon receipt of the unit prepaid at: CDN, PO Box 10947, Portland, OR 97296-0947. This warranty does not cover damage in shipment or failure caused by failure to adhere to the accompanying instructions, inadequate maintenance, normal wear and tear, tampering, accident, misuse, unauthorized modification, obvious carelessness or abuse. CDN shall not be liable for any consequential or incidental damages whatsoever.

CD2921101H - 4/22

certified WBENC WOMEN'S BUSINESS ENTERPRISE

SALES SUPPORT

Website



CDNmeasurement.com

certified WBENC WOMEN'S BUSINESS ENTERPRISE

SALES SUPPORT

Demos

YouTube

https://www.youtube.com/channel/UC-cs9ZsjCCbGgEL4YD6tD_w

certified WBENC WOMEN'S BUSINESS ENTERPRISE

SALES SUPPORT

Technical Specifications

CDN® Measurement Tools

Digital/Thermistor Thermometers

Waterproof Thin Tip Thermometer

Model: DTTW572

This full-featured ergonomic thermometer offers an IPX7 waterproof rating, 3.5-inch stem, 1.5 mm thin tip, fast 4-second response and one-button field calibration. Hold and max/min modes.



Features	Hold mode, max/min mode, on/off button
Measurement Range	-40 to +572°F/-40 to 300°C
Unit of Measure	°F/°C
Accuracy	-40 to +392°F/-40 to +200°C: ±0.7°F/±0.4°C; above 392°F/200°C: ±1.8°F/±1°C (@ ambient temperature 73°F: ±3.6°F/23°C: ±2°C)
Calibration	Field calibration
Heat Resilience	High heat
Water Resilience	IPX7: protected from water up to 3 feet/1 meter for 30 minutes
Response Time	4 second response
On/Off	On/off button
Auto-off	Auto-off after 10 minutes (disabled at ≥104°F/40°C)
Housing Material	Food-safe ABS
Display Material	LCD
Display Size	0.94 W x 0.43 H (in)/2.4 W x 1.1 H (cm)
Probe Type	Thermistor
Probe Material	304 stainless steel
Probe Length	3.5"/8.9 cm stem
Probe Diameter	1.5 thin tip
Resolution	0.1°F/0.1°C
Casing	Sheath
Mounting	Pocket clip and hook; optional magnet
Temperature Guide	On thermometer
Operating Range	32 to 104°F/0 to 40°C ≤90% RH
Battery	Two LR44 alkaline button batteries included
Battery Life	10 months (3 times/day, 5 sec/time)
Dimensions	0.87 W x 7.24 H x 0.89 D (in)/2.22 W x 18.4 H x 2.25 D (cm)
Weight	1.8 oz / 45 g (including battery)
UPC	0 18436 00507 0
Certification	NSF® Certified, WEEE, CE
Antimicrobial Protection	BioCote®
Warranty	5-Year Limited Warranty

certified WBENC WOMEN'S BUSINESS ENTERPRISE

Tel 800 338-5594 **Fax** 800 879-2364 **Web** CDNmeasurement.com

© 04-2022 CDN

CDN® Measurement Tools

Thermocouple Thermometers

Waterproof Folding Thermocouple Thermometer

Model: TCTW572

This full-featured ergonomic thermometer offers a 4.33-inch stem, 1.5 mm thin tip and fast 2-3-second response. Waterproof and field calibratable, it is rated at IPX7. The built-in gyro sensor rotates the display in four directions, making this thermometer easy-to-read in any position.



Features	Rotating display, backlit, extra big digit, automatic on/off
Measurement Range	-58 to +572°F/-50 to +300°C
Unit of Measure	°F/°C
Accuracy	-40 to +392°F/-40 to +200°C: ±0.7°F/±0.4°C; above 392°F/200°C: ±1.8°F/±1°C (@ ambient temperature 73°F: ±3.6°F/23°C: ±2°C)
Calibration	One-button field calibration
Heat Resilience	High heat
Water Resilience	IPX7: protected from water up to 3 feet/1 meter for 30 minutes
Response Time	2-3 seconds, typical
On/Off	Automatic
Auto-off	Auto-off after 10 minutes (disabled at ≥104°F/40°C)
Housing Material	Food-safe ABS plastic
Display Material	LCD
Display Size	1.57 W x 1.02 H (in)/4.0 W x 2.6 H (cm)
Probe Type	Thermocouple Type K
Probe Material	304 stainless steel
Probe Length	4.33"/11.0 cm probe
Sensor Diameter	1.5 thin tip
Resolution	0.1°F/0.1°C
Mounting	Loop
Operating Range	32 to 104°F/0 to 40°C≤90% RH
Battery	Two AAA alkaline batteries included
Battery Life	10 months (3 times/day, 5 sec/time)
Dimensions	6.31 W x 1.97 H x 0.81 D (in)/16.03 W x 5.0 H x 2.06 D (cm)
Weight	3.6 oz / 90 g (including battery)
UPC	0 18436 00508 7
Certification	NSF® Certified, WEEE, CE
Antimicrobial Protection	BioCote®
Warranty	5-Year Limited Warranty

certified WBENC WOMEN'S BUSINESS ENTERPRISE

Tel 800 338-5594 **Fax** 800 879-2364 **Web** CDNmeasurement.com

© 04-2022 CDN

CDN® Measurement Tools

Dishwasher Thermometers

Dishwasher Thermometer

Model: DW2

This thermometer is used for measuring plate surface temperatures during commercial dishwasher cycles. Waterproof with IP66 rating. Visual alerts with color LED lights that indicate the maximum temperature range reached during each cycle. Recalls the last maximum temperature and alert LED when in standby.



Features	LED indication lights for different maximum temperatures; extra big digit, max/min, last maximum temperature recall, on/off button	
Measurement Range	32 to 194°F/0 to 90°C	
Unit of Measure	°F/°C	
Accuracy	±0.9°F/±0.5°C within 149.9 to 194°F/65.5 to 90°C	
FDA Food Code 2017	4-501.112	Mechanical Warewashing Equipment, Hot Water Sanitization Temperatures. (A) Except as specified in ¶ (B) of this section, in a mechanical operation, the temperature of the fresh hot water SANITIZING rinse as it enters the manifold may not be more than 90°C (194°F), or less than:[a] (1) For a stationary rack, single temperature machine, 74°C (165°F); [a] or (2) For all other machines, 82°C (180°F). [a] (B) The maximum temperature specified under ¶ (A) of this section, does not apply to the high pressure and temperature systems with wand-type, hand-held, spraying devices used for the in-place cleaning and SANITIZING of EQUIPMENT such as meat saws.
	4-703.11	Hot Water and Chemical. After being cleaned, EQUIPMENT FOOD-CONTACT SURFACES and UTENSILS shall be SANITIZED in: (B) Hot water mechanical operations by being cycled through EQUIPMENT that is set up as specified under §§ 4-501.15, 4-501.112, and 4-501.113 and achieving a UTENSIL surface temperature of 71°C (160°F) as measured by an irreversible registering temperature indicator.[a]
Water Resilience	IP66: protected from powerful water jets, completely protected against dust	
Response Time	2.3 seconds, typical	
Alert/Alarm	Different color LED lights indicate maximum temperature: **Green:** ≥ 160°F/71°C to < 170°F/76.6°C; **Yellow:** ≥ 170°F/76.6°C to < 180°F/82°C; **Red:** ≥ 180°F/82°C	
On/Off	On/off button	
Housing Material	Polycarbonate resin	
Display Material	LCD	
Display Size	2.95 W x 0.98 H (in)/7.5 W x 2.5 H (cm)	
Probe Type	Thermistor	
Probe Material	304 stainless steel	
Sensor Diameter	8.0 mm	
Resolution	0.1°F/0.1°C	
Casing	Storage case, included	
Mounting	Optional wall bracket	
Operating Range	32 to 203°F/0 to 95°C ≤90% RH	
Battery	Two CR2032 lithium batteries included	
Battery Life	12 months	
Dimensions	4.8 W x 4.8 H x 0.47 D (in)/12.2 W x 12.2 H x 1.2 D (cm)	
Weight	4.4 oz / 125 g (including battery)	
UPC	0 18436 00498 1	
Certification	NSF® Certification, WEEE, CE	
Warranty	1-Year Limited Warranty	
Optional Accessories	Wall bracket by special order	

certified WBENC WOMEN'S BUSINESS ENTERPRISE

Tel 800 338-5594 **Fax** 800 879-2364 **Web** CDNmeasurement.com

© 04-2022 CDN

CDN® Measurement Tools

Master Scales

Digital High Precision Scale, 2 lb

Model: SD0204

This exclusive NSF® Certified scale was designed for demanding foodservice kitchens. It is precise to a hundredth of an ounce or one tenth of a gram. Featuring tare, hold and field calibration to ensure accuracy over time, it offers a small profile and BioCote® antimicrobial technology. Batteries and power adapter included.



Features	Small profile, selectable units, tare function, hold, field calibration, overload indication, battery status indication, removable stainless steel platform, on/off button, AC adapter
Measurement Range	2 lb/1 kg capacity
Unit of Measure	lb:oz/kg.g
Resolution	0.01 oz, 0.1 g
Accuracy	500g ±1.5 g; 1000g ±3 g
Tare	Tare function
Calibration	Field calibration
Water Resilience	IP54: protected from water splashes from any direction for 10 minutes; dust protected
Response Time	0.125 second response
On/Off	On/off button
Auto-off	Auto-off after 2 minutes; disabled when the AC adapter is used
Housing Material	Food-safe ABS plastic
Display Material	LCD
Display Size	3.35 W x 0.866 H (in)/8.5 W x 2.2 H (cm)
Load Cell	Single point load cell
Platform Material	304 stainless steel
Platform Size	5.35 W x 5.35 L (in)/13.6 W x 13.6 L (cm), removable
Operating Range	32 to 104°F/0 to 40°C ≤90% RH
Power	AC Adapter: 100-240 VAC 50/60 Hz input, 9V DC (500mA) output
Battery	Two AAA alkaline batteries (WERCSmart) included
Battery Life	1 year (3 times/day, 120 s/time)
Dimensions	5.90 W x 1.75 H x 7.87 D (in)/15.0 W x 4.45 H x 20.0 D (cm)
Weight	18.5 oz / 524 g (including battery)
UPC	0 18436 00839 2
Certification	NSF® Certified, WEEE, CE
Antimicrobial Protection	BioCote®
Warranty	1-Year Limited Warranty
Optional Accessories	1 kg calibration weight (WT01), Small Profile Platform (AD-PF0502), Power Adapter (AD-AC3302)
Replacement Parts	Small Profile Platform (AD-PF0502), Power Adapter (AD-AC3302)

certified WBENC WOMEN'S BUSINESS ENTERPRISE

Tel 800 338-5594 **Fax** 800 879-2364 **Web** CDNmeasurement.com

© 04-2022 CDN

certified WBENC WOMEN'S BUSINESS ENTERPRISE

CDN® Measurement Tools

THANK YOU

certified WBENC WOMEN'S BUSINESS ENTERPRISE

Excell

Foodservice Equipment Dealer Network

NISSCO

Restaurant Dealer Group

&

CDN®

Measurement Tools